

**WEST**[Help](#)[Logout](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Generate Collection](#)**Search Results - Record(s) 1 through 2 of 2 returned.**☐ 1. Document ID: US 5890429 A Relevance Rank: 72

Entry 2 of 2

File: USPT

Apr 6, 1999

US-PAT-NO: 5890429

DOCUMENT-IDENTIFIER: US 5890429 A

TITLE: Method of making and bonding a screen printed ink film carrier to an electronic device

DATE-ISSUED: April 6, 1999

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Alam; Shahriar	Chandler	AZ	N/A	N/A
Hunter; Thomas A.	Scottsdale	AZ	N/A	N/A
Valle; Michael J.	Mesa	AZ	N/A	N/A

US-CL-CURRENT: 101/129; 156/240, 156/277, 156/307.1

## ABSTRACT:

Screen ink printed film carrier having an ink screen printed electrical altering image provided on thin adhesive film carrier that is flexible and capable of deformation out of the major plane of the carrier to conform to the exterior contour presented by flat or complicated three-dimensional objects, upon which the film carrier can be affixed.

5 Claims, 3 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	MMO	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	-----	-------

☐ 2. Document ID: US 5969053 A Relevance Rank: 54

Entry 1 of 2

File: USPT

Oct 19, 1999

US-PAT-NO: 5969053

DOCUMENT-IDENTIFIER: US 5969053 A

TITLE: Higher modulus compositions incorporating particulate rubber

DATE-ISSUED: October 19, 1999

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Bauman; Bernard D.	Emmaus	PA	N/A	N/A
Williams; Mark A.	Souderton	PA	N/A	N/A

US-CL-CURRENT: 525/331.5; 428/480, 428/500, 525/331.6, 525/333.7, 525/333.9, 525/334.1, 525/353, 525/355, 525/356, 525/388, 525/437

## ABSTRACT:

A plastic article having a number of surfaces with at least one surface being modified by contacting that surface with a reactive gas atmosphere containing F.sub.2, Cl.sub.2, O.sub.2, Ozone, SO.sub.3, oxidative acids, or mixtures thereof, at a temperature and gas partial pressure sufficient to increase the surface energy of the at least one surface being modified to at least 40 dynes/cm at a temperature of 20.degree. C., to enhance bonding of non-slip polymer coatings to the modified surface, to which coatings elastomeric or rigid particles may be admixed for imparting a surface profile and increasing the coefficient of friction between the coated surface and the counter-surface.

11 Claims, 2 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Image
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	-------

[Generate Collection](#)

Terms	Documents
12 and 16 and 17	2

[Display 20 Documents](#)including document number [2](#)**Display Format:**[REV](#)[Change Format](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Help](#)[Logout](#)

**WEST**

Help

Logout

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

**Search Results -**

Terms	Documents
13 and 16 and 17 and 110	1

**Database:** US Patents Full-Text Database ▼

13 and 16 and 17 and 110 ▲▼

Refine Search:

**Search History**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	13 and 16 and 17 and 110	1	<u>L14</u>
DWPI	14 and 15 and 18 and 19	0	<u>L13</u>
DWPI	11 and 15 and 18 and 19	0	<u>L12</u>
USPT	12 and 16 and 17 and 110	0	<u>L11</u>
USPT	Ni or Cu or Ag or Pt or Pd	188922	<u>L10</u>
DWPI	Ni or Cu or Ag or Pt or Pd	1086023	<u>L9</u>
DWPI	magnetic iron or ferrites	28099	<u>L8</u>
USPT	magnetic iron or ferrites	28360	<u>L7</u>
USPT	epoxy or cyanate ester or phenolic	159819	<u>L6</u>
DWPI	epoxy or cyanate ester or phenolic	116120	<u>L5</u>
DWPI	woven polyester	467	<u>L4</u>
USPT	woven polyester	1817	<u>L3</u>
USPT	polyester scrim or nylon scrim	345	<u>L2</u>
DWPI	polyester scrim or nylon scrim	35	<u>L1</u>

**WEST**[Help](#)[Logout](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)**Search Results -**

Terms	Documents
12 and 16 and 18	0

**Database:** [US Patents Full-Text Database](#)**Refine Search:**

12 and 16 and 18

**Search History**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	12 and 16 and 18	0	<a href="#">L16</a>
USPT	12 and 16 and 110	5	<a href="#">L15</a>
USPT	13 and 16 and 17 and 110	1	<a href="#">L14</a>
DWPI	14 and 15 and 18 and 19	0	<a href="#">L13</a>
DWPI	11 and 15 and 18 and 19	0	<a href="#">L12</a>
USPT	12 and 16 and 17 and 110	0	<a href="#">L11</a>
USPT	Ni or Cu or Ag or Pt or Pd	188922	<a href="#">L10</a>
DWPI	Ni or Cu or Ag or Pt or Pd	1086023	<a href="#">L9</a>
DWPI	magnetic iron or ferrites	28099	<a href="#">L8</a>
USPT	magnetic iron or ferrites	28360	<a href="#">L7</a>
USPT	epoxy or cyanate ester or phenolic	159819	<a href="#">L6</a>
DWPI	epoxy or cyanate ester or phenolic	116120	<a href="#">L5</a>
DWPI	woven polyester	467	<a href="#">L4</a>
USPT	woven polyester	1817	<a href="#">L3</a>
USPT	polyester scrim or nylon scrim	345	<a href="#">L2</a>
DWPI	polyester scrim or nylon scrim	35	<a href="#">L1</a>

**WEST**[Help](#)[Logout](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Generate Collection](#)**Search Results - Record(s) 1 through 1 of 1 returned.**☐ 1. Document ID: US 6007955 A Relevance Rank: 44

Entry 1 of 1

File: USPT

Dec 28, 1999

US-PAT-NO: 6007955

DOCUMENT-IDENTIFIER: US 6007955 A

TITLE: Toner composition for use in textile printing

DATE-ISSUED: December 28, 1999

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Verhecken; Andre	Mortsel	N/A	N/A	BEX
Sterckx; Paul	Begijnendijk	N/A	N/A	BEX

US-CL-CURRENT: 430/106; 430/110, 430/111, 430/126, 8/471

## ABSTRACT:

Toner particles comprising a toner resin and a thermosublimable dye wherein the resin has measured at 190.degree. C. a viscosity, .eta., between 30 and 100 mPa.s and a tg.delta. such that 0.015.ltoreq.tg.delta./ .eta..ltoreq.0.20. Preferably tg.delta. such that 0.02.ltoreq.tg.delta./ .eta.0.05.  
10 Claims, 0 Drawing figures  
Exemplary Claim Number: 1

<a href="#">Full</a>	<a href="#">Title</a>	<a href="#">Citation</a>	<a href="#">Front</a>	<a href="#">Review</a>	<a href="#">Classification</a>	<a href="#">Date</a>	<a href="#">Reference</a>	<a href="#">Claims</a>	<a href="#">KWC</a>	<a href="#">Image</a>
----------------------	-----------------------	--------------------------	-----------------------	------------------------	--------------------------------	----------------------	---------------------------	------------------------	---------------------	-----------------------

[Generate Collection](#)**Terms****Documents**

13 and 16 and 17 and 110

1

[Display 20 Documents](#)

including document number

[1](#)**Display Format:**[REV](#)[Change Format](#)